PECEIVED CENTRAL PAX CENTER JUL 2 6 2006

In the Claims:

Kindly cancel claims 4-6, 34-36, 85, and 87-105.

Kindly amend the claims as follows:

- 1. (Currently amended) A healing cell apparatus comprising a base for placing on a body, a plurality of cells arranged on the base, a power supply individually communicating independently with each of the cells and controls connected to the cells separately controlling application of power to each of the cells individually, the power supply further comprising battery power supplies mounted on opposite ends of the base.
- 2. (Original) The apparatus of claim 1, wherein the base is thin, flexible and portable.
- 3. (Original) The apparatus of claim 1, wherein the cells generate energy selected from the group of energies consisting of radio frequencies, electro-magnetic radiations, magnetic fields, current-voltage signals, and combinations thereof.
 - 4 6. (Canceled)
- 7. (Previously presented) The apparatus of claim 1, wherein the controls further comprise self-contained controls in each cell.
- 8. (Previously presented) The apparatus of claim 7, further comprising batteries connected to the self-contained controls.
- 9. (Original) The apparatus of claim 8, wherein the selfcontained controls comprise control circuits connected to the

the second of th

batteries, cables connected to the control circuits, a field generator coil for generating energy connected to cables, a shielding separating the control circuits from the coil for shielding the control and any adjacent cells from interference, and a coil enclosure and patient insulation interposed between a patient and the coil.

- 10. (Original) The apparatus of claim 9, wherein the control circuits are power control circuits.
- 11. (Original) The apparatus of claim 9, wherein the control circuits are signal control circuits.
- 12. (Previously presented) The apparatus of claim 9, wherein the cables are signal carrying cables.
- 13. (Original) The apparatus of claim 9, wherein the cables are power cables.
- 14. (Original) The apparatus of claim 9, wherein the energy is selected from a group of energies consisting of electromagnetic radiations, radio frequencies, magnetic fields, and combinations thereof.
- 15. (Previously presented) The apparatus of claim 9, wherein the battery, the control circuits, the shielding, the coil and the cables are surrounded by a housing.
- 16. (Previously presented) The apparatus of claim 1, further comprising remote controls connected to the controls for controlling the cells remotely.
- 17. (Original) The apparatus of claim 16, wherein each cell further comprises cables, a field generator coil for generating

energy, patient insulation interposed between a patient and the coil, a coil enclosure, and shielding for preventing interference.

- 18. (Original) The apparatus of claim 17, further comprising an on/off switch connected to the cables.
- 19. (Original) The apparatus of claim 17, wherein the cables are power cables.
- 20. (Previously presented) The apparatus of claim 17, wherein the cables are signal carrying cables.
- 21. (Original) The apparatus of claim 17, wherein the energy is selected from a group of energies consisting of electro-magnetic radiations, radio frequencies, magnetic fields, and combinations thereof.
- 22. (Original) The apparatus of claim 16, wherein each cell further comprises cables connected to electrodes for producing current-voltage signals, patient insulation and a cable enclosure.
- 23. (Original) The apparatus of claim 22, wherein the cables are power cables.
- 24. (Previously presented) The apparatus of claim 22, wherein the cables are signal carrying cables.
- 25. (Original) The apparatus of claim 22, further comprising an on/off switch connected to the cables.
- 26. (Original) The apparatus of claim 1, wherein the cells have an orthogonal arrangement on the base.
 - 27. (Original) The apparatus of claim 1, further comprising

control conduits mounted on the base.

- (Previously presented) The apparatus of claim 27, wherein the control conduits are connected to a power and signal generator and a generator a generator control.
- 29. (Previously presented) The apparatus of claim 27, wherein the power and signal generator and generator control are portable.
- (Original) The apparatus of claim 27, wherein the 30. control conduits are power control conduits.
- 31. (Previously presented) The apparatus of claim 27, wherein the control conduits are signal carrying control conduits.
- (Previously presented) The apparatus of claim 1, 32. further comprising a control panel connected to the controls and mounted on one end of the base.
- 33. (Previously presented) The apparatus of claim 1, further comprising control panels connected to the controls and mounted on opposite ends of the base.
 - 34 36. (Canceled)

and the second constraints of the second co

37. (Currently amended) A healing cell apparatus comprising a base for placing on a body, a plurality of cells arranged on the base, a power supply individually communicating independently with each of the cells and controls connected to the cells separately controlling application of power to each of the cells individually, the power supply further comprising a signal generator and control mounted on one end of the base, The

apparatus of claim 36, wherein the signal generator and control are mounted transverse from another signal generator and control on an opposite end of the base.

- 38. (Previously presented) The apparatus of claim 3 wherein frequency and field strength of the energies are variable with increasing frequencies in proximity to the wounds to be treated.
- 39. (Previously presented) The apparatus of claim 1, wherein the base encircles a limb on the body.
- 40. (Original) The apparatus of claim 1, further comprising sensors incorporated into the base.
- 41. (Currently amended) A healing cell apparatus comprising a base for placing on a body, a plurality of cells arranged on the base, a power supply individually communicating independently with each of the cells and controls connected to the cells separately controlling application of power to each of the cells individually, further comprising sensors incorporated into the base, The apparatus of claim 40, wherein the sensors measure different parameters indicative of the wounds to be treated.
- 42. (Withdrawn) A healing cell apparatus comprising cells having self-contained controls, wherein the self-contained controls comprise control circuits connected to the batteries, cables connected to the control circuits, a field generator coil for producing energy connected to the cables, a shielding separating the control circuits from the coil for shielding the control and any adjacent cells from interference, and a coil enclosure and patient insulation interposed between a patient and

and the control of the

the coil.

- 43. (Withdrawn) The apparatus of claim 42, wherein the control circuits are power control circuits.
- 44. (Withdrawn) The apparatus of claim 42, wherein the control circuits are signal control circuits.
- 45. (Withdrawn) The apparatus of claim 42, wherein the cables are power cables.
- 46. (Withdrawn) The apparatus of claim 42, wherein the cables are signal cables.
- 47. (Withdrawn) The apparatus of claim 42, wherein the energy is selected from a group consisting of electro-magnetic radiations, radio frequencies, magnetic fields, and combinations thereof.
- 48. (Withdrawn) The apparatus of claim 42, further comprising a housing for surrounding the battery, the control, the shielding, the coil and the cables.
- 49. (Withdrawn) The apparatus of claim 19, further comprising external connectors on each cell for connecting the cells to external signal and power controls.
- 50. (Withdrawn) A healing cell apparatus for producing current-voltage signals comprising cells mounted on a base, wherein each cell comprises a battery and a self-contained control connected to the battery.
- 51. (Withdrawn) The apparatus of claim 50, wherein the self-contained control comprises control circuits, cables connected to the control circuits and to the battery, electrodes

connected to the cables, and patient insulation for mounting the electrodes.

- 52. (Withdrawn) The apparatus of claim 51, wherein the control circuits are power control circuits.
- 53. (Withdrawn) The apparatus of claim 51, wherein the control circuits are signal control circuits.
- 54. (Withdrawn) The apparatus of claim 51, wherein the cables are power cables.
- 55. (Withdrawn) The apparatus of claim 51, wherein the cables are signal cables.
- 56. (Withdrawn) The apparatus of claim 51, further comprising a housing for the battery, the control circuits, and the cables.
- 57. (Withdrawn) The apparatus of claim 19, further comprising external connectors on each cell for connecting the cells to external signal and power controls.
- 58. (Withdrawn) A method for healing wounds comprising mounting a plurality of cells on a base, placing the base proximate a wound on a body, applying energy from the cells to the wound and peripheral areas of the body by communicating power from a power source to the cells and controlling application of power to the cells individually for speeding the healing of soft tissues, bone fractures, cancerous tissues, nerve pathways and other body tissues being treated.
- 59. (Withdrawn) The method of claim 58, wherein applying the energy comprises selecting from a group consisting of radio

frequencies, electro-magnetic radiations, magnetic fields, current-voltage signals, and combinations thereof.

- 60. (Withdrawn) The method of claim 58, wherein mounting the cells comprises mounting the cells on a thin, flexible and portable base.
- 61. (Withdrawn) The method of claim 58, wherein type, strength, pattern, frequency, pulse characteristics, width, repetition rate, and signal density of the energy is varied according to the type and size of the wound to be treated and proximity of the cells to the wound.
- 62. (Withdrawn) The method of claim 58, further comprising variably activating and controlling activation of each cell.
- 63. (Withdrawn) The method of claim 58, wherein placing the base on the wound comprises placing the cells facing a wound or encircling a limb.
- 64. (Withdrawn) The apparatus of claim 1, wherein the cells have varied shapes.
- 65. (Withdrawn) The apparatus of claim 1, wherein the cells have varied sizes.
- 66. (Withdrawn) The apparatus of claim 1, further comprising a battery power supply on the base, a power outlet connected to the base and connections between the battery power supply, the power outlet and the base.
- 67. (Withdrawn) The apparatus of claim 1, further comprising a battery power supply mounted on the base.

The second second second second second second

- 68. (Withdrawn) The apparatus of claim 67, wherein the battery power supply is mounted on a right side of the base.
- 69. (Withdrawn) The apparatus of claim 67, wherein the battery power supply is mounted on a left side of the base.
- 70. (Withdrawn) The apparatus of claim 67, wherein the battery power supply is mounted on a top side of the base.
- 71. (Withdrawn) The apparatus of claim 67, wherein the battery power supply is mounted on a bottom side of the base.
- 72. (Withdrawn) The apparatus of claim 67, wherein the battery power supply is mounted on a side of the base away from the body.
- 73. (Withdrawn) The apparatus of claim 42, wherein the cells have varied shape.
- 74. (Withdrawn) The apparatus of claim 42, wherein the cells have variable sizes.
- 75. (Withdrawn) The apparatus of claim 50, wherein the cells have varied shape.
- 76. (Withdrawn) The apparatus of claim 50, wherein the cells have variable sizes.
- 77. (Withdrawn) The method of claim 58, wherein placing the base on a body comprises placing the base proximate body.
- 78. (Withdrawn) The method of claim 77, wherein placing the base proximate the body comprises placing the base in contact with the body.

- 79. (Withdrawn) The method of claim 77, wherein placing the base proximate the body comprises placing the base spaced from the body.
- 80. (Withdrawn) The method of claim 77, wherein placing the base proximate the body comprises placing predetermined cells in contact with the body while placing other cells spaced from the body.
- 81. (Withdrawn) The apparatus of claim 50, wherein the control circuits are power and signal control circuits positioned within each cell for internally generating and controlling signals.
- 82. (Withdrawn) The apparatus of claim 50, wherein the control circuits are power and signal control circuits positioned outside the cells and a signal and control instrument connected to the circuits for externally generating and controlling signals.
- 83. (Withdrawn) The apparatus of claim 50, wherein the control circuits are power and control circuits selectively positioned inside or outside the cells, a combined signal and control module connected to the circuits for selectively controlling the cells.
- 84. A healing cell apparatus comprising a base for placing on a body, a plurality of cells arranged on the base, a power supply individually communicating independently with each of the cells and controls connected to the cells separately controlling application of power to each of the cells individually, The

healing cell apparatus of claim 1, wherein the cells concurrently or sequentially generate radio frequencies, electromagnetic radiations, magnetic fields, current-voltage signals, and combinations thereof.

- 85. (Canceled)
- 86. (Withdrawn) Apparatus for speeding healing process of wounded soft tissues, bone tissues, cancerous tissues, nerve pathway tissues and other body tissues, comprising a portable base for applying on a body, plurality of cells on the portable base for applying to the body with the portable base or the cells near or on the wound, field generators connected to the cells for generating energy as electromagnetic radiations, radio frequencies, magnetic fields, current-voltage signals or combinations thereof with the field generators, self-contained or remote controls connected severally to each cell for powering and controlling each cell individually with the self-contained controls or the remote controls, and varying type frequency, pulse characteristics, repetition rate or signal density of the generated energy according to size and type of the wounded tissues being healed and according to proximity of each cell to the wounded tissues.
 - 87 105. (Canceled)